



# *SLOTTED CABLE DUCTS*




## SLOTTED CABLE DUCTS

Code	External Dimensions	Colour	Packaging
PDK 2540	25x40	RAL 7030 Grey	50x2 m
PDK 2560	25x60	RAL 7030 Grey	35x2 m
PDK 4040	40x40	RAL 7030 Grey	35x2 m
PDK 4060	40x60	RAL 7030 Grey	28x2 m
PDK 4080	40x80	RAL 7030 Grey	20x2 m
PDK 6040	60x40	RAL 7030 Grey	25x2 m
PDK 6060	60x60	RAL 7030 Grey	16x2 m
PDK 6080	60x80	RAL 7030 Grey	16x2 m
PDK 8060	80x60	RAL 7030 Grey	14x2 m
PDK 8080	80x80	RAL 7030 Grey	12x2 m
PDK 10060	100x60	RAL 7030 Grey	10x2 m
PDK 10080	100x80	RAL 7030 Grey	10x2 m
PDK 12060	120x60	RAL 7030 Grey	10x2 m
PDK 12080	120x80	RAL 7030 Grey	8x2 m

### MAIN TECHNICAL FEATURES:


- Made of: technopolymer on rigid PVC base, self-extinguishing (UL94) V0
- Narrow slots 4/6/4mm
- Perforated bottom according to the standard DIN 43659
- Standard bars length: 2m
- Reference Standards: EN 5085-2-3
- Packed in strong cardboard boxes suitable for transport and storage
- Standard colour RAL7030, other colours on request
-  RoHS






**First Break Line**

You can bend the duct ribs up to 90 degrees angle and easily break them without any hand tools.





**Bottom Rails**

You can easily mount the accessories on the bottom rails on the duct.






### Second Break Line

Second break line at the base of the slots permits to remove the whole trunking wall.



### Special Cover Design

Really easy to install also thanks to the cover that doesn't fall of although the trunking is put vertically or turned upside down.





Teléfono: 776-1856 / 652-1016 / 652-1015  
Celular: 968229055  
RPM: \*0333946  
Entel: 998327999  
E-mail: [ventas@storetech.pe](mailto:ventas@storetech.pe) / [s.tecnico@storetech.pe](mailto:s.tecnico@storetech.pe)



[www.storetech.pe](http://www.storetech.pe)