

PRODUCT-DETAILS

## CR-U024DC2

### CR-U024DC2 Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/10A



#### Información General

Extended Product Type	CR-U024DC2
Product ID	1SVR405621R1000
EAN	4013614498374
Catalog Description	CR-U024DC2 Pluggable interface relay 2c/o, A1-A2=24VDC, 250V/10A
Long Description	The CR-U024DC2 pluggable interface relay is from the CR-U (universal) relay range. This relay operates with a 24 V DC rated control supply voltage and has 2 c/o (SPDT) output contacts rated at 250 V / 10 A. The relay has an integrated blue test button for manual actuation and locking of the output contacts. Standard sockets, pluggable function modules, holder and marker are available as accessories.

#### Clasificación

Minimum Order Quantity	10 piece
Customs Tariff Number	85364900

#### Descargas Populares

Data Sheet, Technical Information	2CDC117003D0205
Instructions and Manuals	1SVC405600M9000

#### Dimensiones

Product Net Width	35 mm
Product Net Height	54.4 mm
Product Net Depth / Length	35 mm
Product Net Weight	0.083 kg

## Technical

Function	Pluggable universal interface relay CR-U
Sub-Function	Relay w/o built in LED
Output	2 c/o (SPDT) contacts
Output Signal	250 V / 10 A
Rated Control Supply Voltage (Us)	24 V DC

## Ambiente

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

## Certificados y Declaraciones (Número de Documento)

CCC Certificate	CCC_2017010303949759
CQC Certificate	CQC2017010303949759
CSA Certificate	CSA_1587291
Declaration of Conformity - CCC (CCC)	2020980303000199
Declaration of Conformity - CE	1SVD982021
EAC Certificate	EAC_RU_C-DE.ME77.B.00446-19
Environmental Information	1SAA981009-2401
Instructions and Manuals	1SVC405600M9000
LR Certificate	LR_05_20002_E5
RMRS Certificate	RMRS_1740019250
RoHS Information	1SVD982021-0001
UR Certificate	UR_E244330
VDE Certificate	VDE_40019116

## Información de Embalaje

Package Level 1 Units	10 piece
Package Level 1 Width	182 mm
Package Level 1 Height	76 mm
Package Level 1 Depth / Length	77 mm
Package Level 1 Gross Weight	0.87 kg
Package Level 1 EAN	4013614374012

## Clasificaciones

Object Classification Code	K
ETIM 4	EC001437 - Switching relay
ETIM 5	EC001437 - Switching relay

ETIM 6	EC001437 - Switching relay
ETIM 7	EC001437 - Switching relay
eClass	7.0 27371601
UNSPSC	39122331
E-Number (Finland)	2712767
E-Number (Sweden)	4005412

---

## Categorías

---

Productos y sistemas de baja tensión → Aparatos de control → Relés electrónicos → Relés de interface

