

PRODUCT-DETAILS

IB132-Y

IB132-Y Enclosure



Información General

Tipo de producto extendido	IB132-Y
Código de producto	1SAM201911R1011
EAN	4013614421624
Descripción corta	IB132-Y Enclosure
Descripción larga	IB132-Y enclosure is suitable for manual motor starter MS116/MS132. The combination of manual motor starter and enclosure allows to setup all required control and protection functions for single machine installations. The enclosure has a IP65 degree of protection. Additional mounting of auxiliary and signalling contacts, shunt trips and undervoltage release is possible. The handle is up to 3-times lockable in OFF position.

Clasificación

Cantidad mínima de pedido	1 piece
Código arancelario	85389099

Descargas Populares

Ficha técnica, información técnica	1SBC100173C0201
Instrucciones y manuales	2CDC131028M6805
Dimension Diagram	1SAM200441F0001

Dimensiones

Ancho del product	120 mm
Alto del producto	120 mm
Largo del product	195 mm
Peso del product	0.37 kg

Technical

Contact Position Indication	ON / OFF / TRIP
Actuator Type	Rotary Handle
Color	Yellow / Red
Grado de protección	IP65
Standards	CSA 22.2 No. 14 IEC/EN 60947-1 IEC/EN 60947-4-1 UL 508
Product Name	Enclosure
Suitable For	MS116 MS132
Suitable for Product Class	Manual Motor Starter
Accessory Group	Mechanical
Accessory Type	Enclosure
Remarks	For detailed specification see installation instruction

Technical UL/CSA

Enclosure Type UL/CSA	12
-----------------------	----

Ambiente

Temperatura ambiente	Funcionamiento 0 ... +40 °C Almacenamiento -50 ... +80 °C
RoHS Status	Following EU Directive 2011/65/EU

Certificados y Declaraciones (Número de Documento)

cUL Certificate	cUL_E137861
Declaración de conformidad - CE	1SAD938504-0196 1SAD938506-0197 1SAD938508-0188 1SAD938509-0183 1SAD938516-0125 1SAD938522-0060
Declaration of Conformity - UKCA	1SAD938500-1060
GOST Certificate	1SAA937000-2703
Instrucciones y manuales	2CDC131028M6805
RoHS Information	1SAD938504-0196 1SAD938506-0197 1SAD938508-0188 1SAD938509-0183 1SAD938516-0125 1SAD938522-0060
UL Certificate	UL_E137861

Información de Embalaje

Embalaje Nivel 1 Ancho	129 mm
Embalaje Nivel 1 Largo	129 mm
Embalaje Nivel 1 Alto	141 mm
Embalaje Nivel 1 Peso	0.435 kg
Embalaje Nivel 1 EAN	4013614421624
Embalaje Nivel 1 Unidades	box 1 piece

Clasificaciones

ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC000712 - Empty enclosure for switchgear
ETIM 6	EC000712 - Empty enclosure for switchgear
ETIM 7	EC000712 - Empty enclosure for switchgear
eClass	V11.0 : 27371301
UNSPSC	39121334
IDEA Granular Category Code (IGCC)	4492 >> Modular electrical enclosure
E-Number (Finland)	3705860
E-Number (Sweden)	3112074

Categorías

Productos y sistemas de baja tensión → Aparatos de control → Guardamotores → Manual Motor Starters Accessories

