

PRODUCT-DETAILS

JSHD4-1-AA

JSHD4-1-AA Three-position handheld device - Complete



Información General

Tipo de producto extendido	JSHD4-1-AA
Código de producto	2TLA019995R0000
EAN	7350024453348
Descripción corta	JSHD4-1-AA Three-position handheld device - Complete
Descripción larga	Three-position device. Top part with no LED, no extra button. Bottom part with cable gland and 5 screw connections.

Información Adicional

Product Name	Three-position handheld device - Complete
Function	Three-position device used to allow a limited movement of the machine when the operator is in the dangerous area.
Sub-Function	No auxiliary button
Status Indicator	No

Safety Information

Performance Level (PL)	Up to e
B10d Value	2 million operations to middle position 968 000 operations to bottom position

Technical

Communication Interface	Contacts
Connection Configuration	Cable gland and 5 screw connection
Number of Contacts CO	1
Number of Contacts NC	0
Number of Contacts NO	1
Maximum Switching Current	Main Circuit 0.02 mA
Maximum Switching Voltage	Main Circuit 30 V
Minimum Switching Capacity	Main Circuit 8 mA, 10 VDC
Rated Operational Current DC-12 (I _e)	(24 V) 0.02 A
Rated Operational Voltage	24 V DC
Technical Information	Operating force: Approx. 15 N for three-position button (ON), Approx. 45 N for three-position button (OFF), Approx. 2.5 N for top/front pushbutton; Mechanical service life: 1 million cycles, top to middle position, 100 000 cycles, middle to bottom position, and top/front push button

Ambiente

Grado de protección	IP65
Temperatura ambiente	Funcionamiento -10 ... +70 °C
Material	Handle: Polyamide and Noryl; Rubber: Neoprene

Technical UL/CSA

Enclosure Type UL/CSA	1
-----------------------	---

Descargas Populares

Ficha técnica, información técnica	2TLC010001C0202
Instrucciones y manuales	2TLC172072M0201

Certificados y Declaraciones (Número de Documento)

CSA Certificate	2TLC172086D0201
Declaración de conformidad - CE	2TLC172022D0201
Instrucciones y manuales	2TLC172072M0201
SEMKO Certificate	2TLC172032D0201

Dimensiones

Ancho del product	34 mm
Largo del product	60 mm
Alto del producto	254 mm
Peso del product	0.3 kg

Clasificación

Cantidad mínima de pedido	1 piece
Country of Origin	Sweden (SE)
Código arancelario	8536909599

Clasificaciones

Object Classification Code	B
ETIM 6	EC002571 - Agreement switch
ETIM 7	EC002571 - Agreement switch
eClass	V11.0 : 27371238

Categorías

Productos y sistemas de baja tensión → Aparatos de control → Dispositivos de seguridad → Dispositivos de mando → JSHD



storei®
tech
Electricidad Industrial & Doméstica